

	Ethylene Oxide Residuals Sample Submission Form Ship Samples To: Cambrex • Attn: Sample Login 104 Gold St. • Agawam, MA 01001 Email: login-ma@cambrex.com	For Internal Use Only	
		Internal #:	
		Rec'd by Date/Time	
		Rec'd Via:	

A Purchase Order (PO) should be submitted with the product to initiate product testing services. Failure to submit completed Sample Submission Form(s) or to include a PO may result in testing delays.

Please fill out form completely		Requestor		Invoicing (if different from Requestor)	
PO #		Contact		Send Invoice To	
Quote #		Company		Company	
Turnaround Time (TAT)		Address		Address	
<input type="checkbox"/> Standard <input type="checkbox"/> Tier 1 STAT ¹ See quote for TATs and associated fees <input type="checkbox"/> Tier 2 STAT ¹ <input type="checkbox"/> Tier 3 STAT ¹		City		City	
		State/Zip		State/Zip	
		Phone		Phone	
		E-mail		E-mail	

¹Excludes exhaustive testing. Contact your Account Manager for questions about STAT Exhaustive testing.

Phase of Development: <input type="checkbox"/> RD/Phase 1 <input type="checkbox"/> Phase 2 <input type="checkbox"/> Phase 3/Commercial									
Test Article Information and Required Testing									
Quantity	Lot #	Sample Description (use description desired on final report)		Test Code	Test Specification		Client SOP # (if applicable)		
					<input type="checkbox"/>	ISO 10993-7			
					<input type="checkbox"/>	FIO			
					<input type="checkbox"/>	ISO 10993-7			
					<input type="checkbox"/>	FIO			
					<input type="checkbox"/>	ISO 10993-7			
					<input type="checkbox"/>	FIO			
					<input type="checkbox"/>	ISO 10993-7			
					<input type="checkbox"/>	FIO			
					<input type="checkbox"/>	ISO 10993-7			
					<input type="checkbox"/>	FIO			
					<input type="checkbox"/>	ISO 10993-7			
					<input type="checkbox"/>	FIO			
					<input type="checkbox"/>	ISO 10993-7			
					<input type="checkbox"/>	FIO			
Extraction Time:				Extraction Temp:				Is a blank non- sterile device included?	
								<input type="checkbox"/>	Yes
								<input type="checkbox"/>	No
Sample Aeration	<input type="checkbox"/>	Performed at sterilizer	Sample Component Configuration	<input type="checkbox"/>	Single component	How are the components tested?			
	<input type="checkbox"/>	Required at Cambrex		<input type="checkbox"/>	Multiple components				
	<input type="checkbox"/>	N/A		<input type="checkbox"/>	Other (detail in comments)				
								<input type="checkbox"/>	Separately
								<input type="checkbox"/>	Together
								<input type="checkbox"/>	Other (detail in comments)



**Ethylene Oxide Residuals
Test Request Form**

Ship Samples To:
Cambrex • Attn: Sample Login
104 Gold St. • Agawam, MA 01001
Email: login-ma@cambrex.com

For Internal Use Only

Sample #:

Rec'd by
Date/Time

Rec'd Via:

Test Article Handling Information

Shipping Condition:

☐ Dry Ice (suggested)

☐ Other (list in comments)

**Storage
Condition:**

- 15 °C to -25°C

Cambrex stores all ethylene oxide residual
samples at this temperature until testing.

**Tolerable Contact
Limit (TCL):**

☐ Yes, calculate TCL (please provide surface area below)

Product Surface Area:

☐ No, do not calculate TCL

Sample Disposition:

☐

Discard all samples

☐

Return All Samples*

☐

Return unused portions only*

*Return via:

☐

FedEx

☐

UPS

Shipping Account #

Additional Testing Comments

☐ N/A

Page_____of_____

Submission of this executed form and any associated samples for testing signifies your acceptance of the terms and conditions incorporated in the Quote, or if none, Cambrex' general terms and conditions covering these services (See: <http://Cambrex.com/Forms-and-Certificates>).