



**Ethylene Oxide Residuals
Sample Submission Form**

Ship Samples To:
Cambrex • Attn: Sample Login
104 Gold St. • Agawam, MA 01001
Email: login-ma@cambrex.com

For Internal Use Only


Internal #:	
Rec'd by Date/Time	
Rec'd Via:	

A Purchase Order (PO) should be submitted with the product to initiate product testing services. Failure to submit completed Sample Submission Form(s) or to include a PO may result in testing delays.

Please fill out form completely		Requestor		Invoicing (if different from Requestor)	
PO #		Contact		Send Invoice To	
Quote #		Company		Company	
Turnaround Time (TAT)		Address		Address	
<input type="checkbox"/> Standard <input type="checkbox"/> Tier 1 STAT ¹ See quote for TATs and associated fees <input type="checkbox"/> Tier 2 STAT ¹ <input type="checkbox"/> Tier 3 STAT ¹		City		City	
		State/Zip		State/Zip	
		Phone		Phone	
		E-mail		E-mail	

¹Excludes exhaustive testing. Contact your Account Manager for questions about STAT Exhaustive testing.

Phase of Development: <input type="checkbox"/> RD/Phase 1 <input type="checkbox"/> Phase 2 <input type="checkbox"/> Phase 3/Commercial								
Test Article Information and Required Testing								
Quantity	Lot #	Sample Description (use description desired on final report)	Test Code	Test Specification	Client SOP # (if applicable)			
				<input type="checkbox"/> ISO 10993-7 <input type="checkbox"/> FIO				
				<input type="checkbox"/> ISO 10993-7 <input type="checkbox"/> FIO				
				<input type="checkbox"/> ISO 10993-7 <input type="checkbox"/> FIO				
				<input type="checkbox"/> ISO 10993-7 <input type="checkbox"/> FIO				
				<input type="checkbox"/> ISO 10993-7 <input type="checkbox"/> FIO				
				<input type="checkbox"/> ISO 10993-7 <input type="checkbox"/> FIO				
				<input type="checkbox"/> ISO 10993-7 <input type="checkbox"/> FIO				
Extraction Time:		Extraction Temp:		Is a blank non-sterile device included?				
				<input type="checkbox"/> Yes <input type="checkbox"/> No				
Sample Aeration	<input type="checkbox"/>	Performed at sterilizer	Sample Component Configuration	<input type="checkbox"/>	Single component	How are the components tested?		
	<input type="checkbox"/>	Required at Avista		<input type="checkbox"/>	Multiple components		<input type="checkbox"/>	Separately
	<input type="checkbox"/>	N/A		<input type="checkbox"/>	Other (detail in comments)		<input type="checkbox"/>	Together
				<input type="checkbox"/>	Other (detail in comments)			

	Ethylene Oxide Residuals Test Request Form Ship Samples To: Cambrex • Attn: Sample Login 104 Gold St. • Agawam, MA 01001 Email: login-ma@cambrex.com	For Internal Use Only	
		Sample #:	
		Rec'd by Date/Time	
		Rec'd Via:	

Test Article Handling Information						
Shipping Condition:	<input type="checkbox"/> Ambient (suggested)		Storage Condition:	- 15 °C to -25°C Avista stores all ethylene oxide residual samples at this temperature until testing.		
	<input type="checkbox"/> Other (list in comments)					
Sample Characteristics: (check all that apply)	<input type="checkbox"/> Hazardous (fill out below)			<input type="checkbox"/> Controlled Substance (fill out below)		
	<input type="checkbox"/>	Hazard 1		<input type="checkbox"/>	DEA #	
	<input type="checkbox"/>	Hazard 2		<input type="checkbox"/>	DEA Schedule	
Sample Disposition:	<input type="checkbox"/>	Discard all samples	<input type="checkbox"/>	Return All Samples*	<input type="checkbox"/>	Return unused portions only*
	*Return via:		<input type="checkbox"/> FedEx	<input type="checkbox"/> UPS	Shipping Account #	

Additional Testing Comments
<input type="checkbox"/> N/A